Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol

**CAS Number:** 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44

First Dose M/F: 09/15/04 / 09/16/04

Lab: BAT

F1\_R2

**C Number:** C99032

**Lock Date:** 09/07/2007

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

**TDMSE Version:** 2.2.0

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS MALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
Disposition Summary					
Animals Initially In Study	50	50	50	50	
Early Deaths	•	•		•	
Moribund Sacrifice	17	14	15	17	
Natural Death	10	8	7	5	
Survivors		•	·	•	
Natural Death		2			
Terminal Sacrifice	23	<u> </u>	28	28	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Esophagus	(50)	(50)	(50)	(50)	
Intestine Large, Cecum	(49)	(50)	(50)	(50)	
Intestine Large, Colon	(50)	(50)	(50)	(50)	
Adenoma	1 (2%)				
Intestine Large, Rectum	(50)	(50)	(50)	(50)	
Intestine Small, Duodenum	(50)	(50)	(50)	(50)	
Intestine Small, Ileum	(50)	(50)	(50)	(50)	
Intestine Small, Jejunum	(50)	(50)	(50)	(50)	
Liver	(50)	(50)	(50)	(50)	
Hepatocellular Adenoma	1 (2%)		1 (2%)	1 (2%)	
Hepatocellular Adenoma, Multiple			1 (2%)		
Hepatocellular Carcinoma		1 (2%)			
Mesentery	(9)	(2)	(3)	(5)	
Fibrous Histiocytoma	1 (11%)				
Oral Mucosa	(2)	(1)	(4)	(3)	
Pancreas	(50)	(50)	(50)	(50)	
Salivary Glands	(50)	(50)	(50)	(50)	
Carcinoma	1 (2%)				
Schwannoma Malignant	1 (2%)		1 (2%)		
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Squamous Cell Papilloma		1 (2%)			
Stomach, Glandular	(50)	(50)	(50)	(50)	
Adenoma		1 (2%)		1 (2%)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS MALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
Carcinosarcoma	1 (2%)				
Leiomyosarcoma	` ,	1 (2%)			
Tongue	(1)	(0)	(0)	(2)	
Squamous Cell Carcinoma	1 (100%)				
Squamous Cell Papilloma				1 (50%)	
CARDIOVASCULAR SYSTEM					,
Heart	(50)	(50)	(50)	(50)	
Carcinoma, Metastatic, Urethra	()	()	()	1 (2%)	
Schwannoma Malignant	2 (4%)	1 (2%)	1 (2%)	( /	
Thymoma Malignant, Metastatic, Thymus	,	, ,	1 (2%)		
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Adrenal Medulla	(50)	(50)	(50)	(50)	
Pheochromocytoma Benign	3 (6%)	5 (10%)	7 (14%)	3 (6%)	
Pheochromocytoma Malignant	1 (2%)			1 (2%)	
Bilateral, Pheochromocytoma Benign	1 (2%)	1 (2%)			
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Adenoma	3 (6%)	5 (10%)	4 (8%)	5 (10%)	
Parathyroid Gland	(50)	(49)	(47)	(49)	
Pituitary Gland	(50)	(49)	(50)	(50)	
Pars Distalis, Adenoma	33 (66%)	33 (67%)	34 (68%)	27 (54%)	
Pars Intermedia, Adenoma	1 (2%)	1 (2%)			
Thyroid Gland	(50)	(50)	(50)	(50)	
Adenoma			1 (2%)		
Bilateral, C-cell, Adenoma	1 (2%)	1 (2%)	1 (2%)		
C-cell, Adenoma	8 (16%)	8 (16%)	6 (12%)	6 (12%)	
C-cell, Carcinoma		1 (2%)		1 (2%)	
Follicular Cell, Adenoma			1 (2%)		
Follicular Cell, Carcinoma			1 (2%)	1 (2%)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

Basal Cell Carcinoma

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

Lab: BAT

Species/Strain. NATS/F 344/N					Lab. DAT	
FISCHER 344 RATS MALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG		
GENERAL BODY SYSTEM						
None						
GENITAL SYSTEM						
Epididymis	(50)	(50)	(50)	(50)		
Penis	(0)	(0)	(1)	(0)		
Preputial Gland	(50)	(50)	(50)	(50)		
Prostate	(50)	(50)	(50)	(50)		
Adenoma	()	1 (2%)	()	()		
Seminal Vesicle	(50)	(50)	(50)	(50)		
Testes	(50)	(50)	(50)	(50)		
Hemangioma	1 (2%)	,	,	,		
Bilateral, Interstitial Cell, Adenoma	26 (52%)	19 (38%)	28 (56%)	20 (40%)		
Interstitial Cell, Adenoma	11 (22%)	12 (24%)	14 (28%)	17 (34%)		
HEMATOPOIETIC SYSTEM						
Bone Marrow	(50)	(50)	(50)	(50)		
Lymph Node	(10)	(8)	(4)	(7)		
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)		
Spleen	(50)	(50)	(50)	(50)		
Thymus	(47)	(48)	(48)	(47)		
Carcinoma, Metastatic, Thyroid Gland				1 (2%)		
Thymoma Malignant			1 (2%)			
INTEGUMENTARY SYSTEM						
Mammary Gland	(50)	(49)	(50)	(50)		
Adenocarcinoma	1 (2%)	(10)	(30)	(30)		
Fibroadenoma	1 (270)	2 (4%)	1 (2%)	1 (2%)		
Skin	(50)	(50)	(50)	(50)		
5	(33)	(00)	(55)	4 (22()		

a - Number of animals examined microscopically at site and number of animals with lesion

1 (2%)

## P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: RATS/F 344/N

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS MALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
Keratoacanthoma	2 (4%)	1 (2%)	2 (4%)	2 (4%)	
Squamous Cell Papilloma	1 (2%)	(=,-)	_ ( · / • /	3 (6%)	
Control, Subcutaneous Tissue, Fibrous Histiocytoma	,	1 (2%)		,	
Subcutaneous Tissue, Fibroma	1 (2%)	2 (4%)	2 (4%)	1 (2%)	
Subcutaneous Tissue, Fibrosarcoma			1 (2%)		
Subcutaneous Tissue, Fibrous Histiocytoma		1 (2%)	1 (2%)		
Subcutaneous Tissue, Hemangiosarcoma		1 (2%)			
Subcutaneous Tissue, Lipoma		1 (2%)		1 (2%)	
Subcutaneous Tissue, Schwannoma Malignant		1 (2%)	3 (6%)		
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Osteosarcoma	(00)	1 (2%)	(00)	(55)	
NEDVOUG OVETEN					
NERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Astrocytoma Malignant			1 (2%)		
RESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Alveolar/Bronchiolar Adenoma	1 (2%)	1 (2%)	. ,	, .	
Alveolar/Bronchiolar Carcinoma	3 (6%)	2 (4%)	2 (4%)		
Carcinoma, Metastatic, Urethra	, ,	. ,	, ,	1 (2%)	
Carcinoma, Metastatic, Zymbal'S Gland	1 (2%)			, ,	
Osteosarcoma, Metastatic, Bone	• •	1 (2%)			
Pheochromocytoma Malignant, Metastatic, Adrenal Medulla		, ,		1 (2%)	
Thymoma Malignant, Metastatic, Thymus			1 (2%)		
Nose	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol

**CAS Number:** 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS MALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
SPECIAL SENSES SYSTEM					
Eye Harderian Gland Zymbal's Gland Carcinoma	(50) (50) (1) 1 (100%)	(50) (50) (0)	(50) (50) (0)	(50) (50) (0)	
URINARY SYSTEM					
Kidney Urethra Urinary Bladder Transitional Epithelium, Papilloma	(50) (0) (50) 1 (2%)	(50) (0) (50)	(50) (0) (50)	(50) (1) (50)	
SYSTEMIC LESIONS					
Multiple Organ Histiocytic Sarcoma Leukemia Mononuclear Mesothelioma Malignant	*(50) 11 (22%) 2 (4%)	*(50) 1 (2%) 12 (24%) 5 (10%)	*(50) 11 (22%) 1 (2%)	*(50) 10 (20%) 4 (8%)	

a - Number of animals examined microscopically at site and number of animals with lesion

<sup>\*</sup> Number of animals with any tissue examined microscopically

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS MALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG
THOUSEN GAT NATO MALE		o monto	20 1110/110	
Tumor Summary for Males				
<u>-</u>	49	50	50	48
Total Animals with Primary Neoplasms (b)  Total Primary Neoplasms	49 122	124	127	46 107
Total Filliary Neoplasins	122	124	121	107
Total Animals with Benign Neoplasms	47	49	50	45
Total Benign Neoplasms	96	95	103	89
Total Animala with Malinnant Nagalagna	22	24	22	45
Total Animals with Malignant Neoplasms	22	24	22	15
Total Malignant Neoplasms	26	29	24	18
Total Animals with Metastatic Neoplasms	1	2	1	2
Total Metastatic Neoplasms	1	4	2	4
Total Animals with Malignant Neoplasms Uncertain Primary Site				
Oncertain Filmary Oite				
Total Animals with Neoplasms Uncertain- Benign or Malignant				
Total Uncertain Neoplasms				

<sup>\*\*\*</sup> END OF MALE \*\*\*

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS FEMALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
Disposition Summary					
Animals Initially In Study	50	50	50	50	
Early Deaths	30	30	30	30	
Accidently Killed		1			
Moribund Sacrifice	12	7	18	9	
Natural Death	9	9	6	10	
Survivors	<b>G</b>	· ·	· ·	10	
Natural Death			1		
Terminal Sacrifice	29	33	25	31	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Intestine Large, Cecum	(50)	(50)	(50)	(50)	
Intestine Large, Colon	(50)	(50)	(50)	(50)	
Adenoma	,	1 (2%)	1 (2%)	( /	
Intestine Large, Rectum	(50)	(50)	(50)	(50)	
Intestine Small, Duodenum	(50)	(50)	(50)	(50)	
Intestine Small, Ileum	(50)	(50)	(50)	(50)	
Adenoma	1 (2%)	, ,	. ,	, ,	
Intestine Small, Jejunum	(50)	(50)	(50)	(50)	
Liver	(50)	(50)	(50)	(50)	
Hepatocellular Adenoma	2 (4%)	. ,		. ,	
Hepatocellular Adenoma, Multiple		1 (2%)			
Hepatocellular Carcinoma		1 (2%)			
Hepatocellular Carcinoma, Multiple				1 (2%)	
Sarcoma Stromal, Metastatic, Uterus			1 (2%)		
Mesentery	(8)	(11)	(13)	(10)	
Schwannoma Malignant	2 (25%)				
Oral Mucosa	(2)	(2)	(0)	(0)	
Pancreas	(50)	(50)	(50)	(50)	
Salivary Glands	(50)	(50)	(50)	(50)	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Stomach, Glandular	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS FEMALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
CARDIOVASCULAR SYSTEM					
Blood Vessel	(50)	(50)	(50)	(50)	
Heart	(50)	(50)	(50)	(50)	
Sarcoma Stromal, Metastatic, Uterus			1 (2%)		
ENDOCRINE SYSTEM		,			
Adrenal Cortex	(50)	(50)	(50)	(50)	
Adenoma	1 (2%)		1 (2%)		
Adrenal Medulla	(50)	(50)	(50)	(50)	
Pheochromocytoma Benign	1 (2%)	1 (2%)	2 (4%)	2 (4%)	
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Adenoma	2 (4%)			1 (2%)	
Parathyroid Gland	(49)	(49)	(50)	(49)	
Pituitary Gland	(50)	(50)	(50)	(50)	
Pars Distalis, Adenoma	25 (50%)	29 (58%)	28 (56%)	27 (54%)	
Pars Distalis, Carcinoma			1 (2%)		
Pars Intermedia, Adenoma			1 (2%)		
Thyroid Gland	(50)	(50)	(50)	(50)	
C-cell, Adenoma	7 (14%)	6 (12%)	6 (12%)	7 (14%)	
Follicle, Adenoma		1 (2%)			
Follicular Cell, Adenoma	1 (2%)			1 (2%)	
GENERAL BODY SYSTEM					
None					
GENITAL SYSTEM					
Clitoral Gland	(50)	(50)	(50)	(50)	
Adenoma	3 (6%)	(00)	3 (6%)	(00)	

a - Number of animals examined microscopically at site and number of animals with lesion

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: RATS/F 344/N

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS FEMALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
Carcinoma	1 (2%)	3 (6%)		1 (2%)	
Ovary	(50)	(50)	(50)	(50)	
Granulosa Cell Tumor Benign	1 (2%)	(50)	(50)	(50)	
Uterus	(50)	(50)	(50)	(50)	
Leiomyoma	(30)	(30)	1 (2%)	(30)	
Leiomyosarcoma		1 (2%)	1 (270)		
Polyp Stromal	7 (14%)	6 (12%)	5 (10%)	3 (6%)	
Cervix, Polyp Stromal	7 (1470)	1 (2%)	3 (1070)	3 (070)	
Cervix, Sarcoma	1 (2%)	1 (270)			
Cervix, Sarcoma Stromal	1 (270)		1 (2%)		
Vagina	(0)	(1)	(0)	(0)	
vagilla	(0)	(1)	(0)	(0)	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Lymph Node	(3)	(2)	(4)	(2)	
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)	
Spleen	(50)	(50)	(50)	(50)	
Thymus	(50)	(50)	(49)	(50)	
Thymoma Benign	1 (2%)				
INTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Adenoma	2 (4%)	, ,	1 (2%)	, ,	
Carcinoma	1 (2%)	1 (2%)	,	2 (4%)	
Fibroadenoma	22 (44%)	12 (24%)	18 (36%)	11 (22%)	
Fibroadenoma, Multiple	2 (4%)	3 (6%)	3 (6%)	2 (4%)	
Skin	(50)	(50)	(50)	(50)	
Basal Cell Carcinoma	1 (2%)	. ,	. ,	· ,	
Keratoacanthoma	, ,			1 (2%)	
Site Of Application, Subcutaneous Tissue, Schwannoma Benign				1 (2%)	
Subcutaneous Tissue, Fibroma	1 (2%)				
Subcutaneous Tissue, Fibrosarcoma	,		1 (2%)		

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

(50) (0) (50)	1 (2%) (50) (2) 1 (50%) (50)	1 (2%) (50) (50) (50)	
(50)	(2) 1 (50%) (50)	(50)	
(50)	(2) 1 (50%) (50)	(50)	
(50)	(50%)	(50)	
(1)	(0)		
(1)	(0)		
		(0)	
		(0)	
	(50)	(50)	
1 (2%)			
1 (2%)	4 (00()	1 (2%)	
	1 (2%)	4 (20()	
(50)	(50)	1 (2%) (50)	
(50)	(50)	(50)	
(50)	(50)	(50)	
(50)	(50)	(50)	
	(50)	(50)	
	(50) (50)	(50) (50)	(50) (50)

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

FISCHER 344 RATS FEMALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
Adenoma				1 (2%)	
Lipoma	1 (2%)			(= / -/	
Urinary Bladder	(50)	(50)	(50)	(49)	
Sarcoma Stromal, Metastatic, Uterus	, ,	` '	1 (2%)	, , ,	
SYSTEMIC LESIONS					
Multiple Organ	*(50)	*(50)	*(50)	*(50)	
Histiocytic Sarcoma	, ,	1 (2%)	, ,	1 (2%)	
Leukemia Mononuclear	8 (16%)	9 (18%)	17 (34%)	11 (22%)	
Lymphoma Malignant				1 (2%)	

a - Number of animals examined microscopically at site and number of animals with lesion

<sup>\*</sup> Number of animals with any tissue examined microscopically

Test Type: CHRONIC

**Route: SKIN APPLICATION** 

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Pyrogallol CAS Number: 87-66-1

Date Report Requested: 12/17/2009

Time Report Requested: 08:48:44 First Dose M/F: 09/15/04 / 09/16/04

Lab: BAT

FISCHER 344 RATS FEMALE	0 MG/KG	5 MG/KG	20 MG/KG	75 MG/KG	
Tumor Summary for Females					
Total Animals with Primary Neoplasms (b)	45	42	47	44	
Total Primary Neoplasms	96	79	92	77	
Total Animals with Benign Neoplasms	43	40	42	34	
Total Benign Neoplasms	81	62	71	57	
Total Animals with Malignant Neoplasms	12	17	20	18	
Total Malignant Neoplasms	15	17	21	20	
Total Animals with Metastatic Neoplasms		1	1		
Total Metastatic Neoplasms		7	4		
Total Animals with Malignant Neoplasms Uncertain Primary Site					
Total Animals with Neoplasms Uncertain- Benign or Malignant					
Total Uncertain Neoplasms					

\*\*\* END OF REPORT \*\*\*

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors